



SUNBELT[®]
RENTALS

LIFTING





**WE ARE A SKILLED
TEAM, READY
TO PROVIDE THE
KNOWLEDGE,
EXPERTISE AND
EQUIPMENT FOR
SAFE LIFTING
& HANDLING
OPERATIONS.**

Sunbelt Rentals offers a wide range of quality lifting and material handling equipment for hire and sale from industry leading manufacturers.

We also have one of the most technically experienced teams in the industry who are ready to assist with your lifting equipment needs.



FLG Services are now
**Sunbelt Rentals
Lifting**



WELCOME

Our services include:

Hire and sales of globally branded lifting equipment

Inspections, repair and testing of customers equipment available both onsite and in our service centres.*

Site inspection and testing of loose and static lifting equipment

Online certificate management

Technical site surveys

Delivery throughout the UK

Full Member of Lifting Equipment Engineers Association

*Depending on the equipment type.

All our equipment is CE compliant, designed to reduce the health and safety risks from lifting, backed by a full service and maintenance history.

We have one of the most technically experienced teams in the industry, with dedicated personnel who are ready to deal with your lifting and handling enquiries.



Lifting Equipment
Engineers Association



PRE-HIRE CHECKLIST

Our pre-hire checklist is available to ensure you hire the correct equipment for the job.

The peace of mind that comes from using Sunbelt Rentals as a supplier with fully maintained and regularly serviced equipment means that you can focus your time on other areas based on the knowledge that your lifting gear requirements are being met by a team of experts.

How to navigate your way around our brochure:
We have colour-coded our application areas to save you time and help you find exactly what you need. Please refer to the product link with each product for associated tackle for your required equipment. There is also a product index to enables you to source the equipment directly.

- 1. WHAT IS THE MAXIMUM WEIGHT OF THE LOAD?
- 2. WHAT HEIGHT OF LIFT OR LENGTH OF ROPE DO YOU REQUIRE?
- 3. DO YOU HAVE AN ADEQUATE AND SAFE SUSPENSION/ ANCHORAGE POINT?
- 4. HAVE YOU CONSIDERED ANY RESTRICTIONS THAT MAY AFFECT THE EQUIPMENT YOU CHOOSE - HEIGHT, WEIGHT, WIDTH?
- 5. HAVE YOU ASSESSED THE LOCATION WHERE THE EQUIPMENT IS TO BE USED?
- 6. WHAT POWER SUPPLY DO YOU HAVE AVAILABLE?
- 7. DO YOU REQUIRE ANY FURTHER EQUIPMENT?



Hoisting



Winching



Jacking



General Tackle



Material Handling



Safety



Load Measurement


















Crane Hire and Heavy Lift












HOISTING

- HAND OPERATED CHAIN BLOCKS
- ELECTRIC CHAIN BLOCKS
- PORTABLE HOISTS - MINIFORS
- AIR OPERATED HOISTS
- LEVER OPERATED HOIST
- TIRAK MOBILE WINCH
- GIRDER CLAMPS/TROLLEYS
- BUILDER/SCAFFOLD HOISTS
- PLATE LIFTING CLAMPS
- QUICK RELEASE SHACKLES



	HAND OPERATED CHAIN BLOCKS	Product Link
	0.5t - 50t SWL	<div> Slings Shackles</div> <div> Girder Clamps Girder Trolleys</div> <div> Digital Load Indicator</div>
	Lightweight	
	3m - 90m Height of lift (Dependent on SWL)	
	Heavy duty	
	Report of Thorough Examination Supplied	
	LEVER OPERATED HOISTS	Product Link
	0.5t - 10t SWL	<div> Slings Shackles</div> <div> Girder Clamps Girder Trolleys</div>
	Suitable for lifting and hauling operations	
	1.5m height of lift as standard	
	Ratchet design	
	Longer lengths (height of lift) available upon request	
	ELECTRIC CHAIN BLOCKS	Product Link
	0.25t - 10t SWL	<div> Slings Shackles</div> <div> Girder Clamps Girder Trolleys</div> <div> Digital Load Indicator</div>
	3m - 90m Height of lift (Dependent on SWL)	
	110V - 220V - 415V Availability	
	Heavy duty	
	Remote control available	
	AIR OPERATED HOISTS	Product Link
	0.5t - 50t SWL	<div> Slings Shackles</div> <div> Girder Clamps Girder Trolleys</div> <div> Digital Load Indicator</div>
	3m - 90m height of lift	
	Heavy duty, continuous use	
	Report of Thorough Examination Supplied	

	PORTABLE HOISTS - MINIFORS	Product Link
	0.3t - 1t SWL	<div> Slings Shackles</div> <div> Girder Clamps Girder Trolleys</div> <div> Digital Load Indicator</div>
	3m - 200m Height of lift	
	110V - 220V - 415V Availability	
	Remote control available	
	Report of Thorough Examination Supplied	
	TIRAK MOBILE WINCH	Product Link
	1t - 3t SWL	<div> Slings Shackles</div> <div> Girder Clamps Girder Trolleys</div> <div> Digital Load Indicator</div> <div> Snatch Blocks</div>
	Suitable for lifting and hauling operations	
	Heavier loads can be accommodated with snatch block utilisation	
	Ideal for lift shaft maintenance and cable pulling	
	415V - 3ph - 50Hz • Unlimited heights of lift available	
	Report of Thorough Examination Supplied	
	GIRDER CLAMPS	Product Link
	1t - 20t SWL	<div> Slings Shackles</div> <div> Chain Blocks Lever Hoists Air Hoists</div> <div> Digital Load Indicator</div>
	Easy installation	
	Suitable for lifting and hauling operations	
	Adjustable to accommodate beam dimensions	
	Report of Thorough Examination Supplied	
	GIRDER TROLLEYS (PUSH/GEARED)	Product Link
	1t - 15t SWL	<div> Slings Shackles</div> <div> Chain Blocks Lever Hoists Air Hoists</div>
	Easy installation	
	Adjustable to accommodate beam dimensions	
	Geared travel option available	
	Report of Thorough Examination Supplied	

	PLATE LIFTING CLAMPS	Product Link
	0.5t - 10t SWL	<div> Wire Ropes Slings Shackles</div> <div> Hand Operated Chain Hoist Air Hoist Electric Hoist</div>
	0 - 50mm plate suitability	
	Vertical and horizontal optional available	
	Report of Thorough Examination Supplied	
	SCAFFOLD HOIST	Product Link
	200kg SWL	<div> Webbing Slings Shackles Chain Slings Wheel Barrow Chain Sling</div>
	110V	
	Easy to erect	
	Extremely versatile	
	Report of Thorough Examination Supplied	
	BUILDERS HOIST	Product Link
	300kg, 500kg and 950kg SWL	<div> Webbing Slings Shackles Chain Slings Wheel Barrow Chain Sling</div>
	415V (300kg available in 110V)	
	Easy to erect	
	80L and 150L bucket attachments available to hire	
	Extremely versatile	
	Report of Thorough Examination Supplied	
	QUICK RELEASE SHACKLES	Product Link
	Up to 10t SWL	<div> Wire Rope Slings Shackles Fibre Slings</div> <div> Electric Hoist Hand Operated Hoist Air Hoist.</div> <div> Lifting Beams</div>
	Ground release operation	
	Report of Thorough Examination Supplied	

HOISTING

For larger transportation of materials and for passengers, our dedicated Hoist depots can offer Passenger and Goods Hoists, Goods Only Hoists, Bespoke Hoists and Transport Platforms with up to 3,200kg capacity and dimensions up to 2m wide and 6m long.

Head to www.sunbeltrentals.co.uk for further info.



HOISTING



ELEBIA AUTO HOOK

This unique crane hook allows you to remotely attach and release with no handling. It has been redesigned to improve every single specification:

- Swivel basket with bearing
- Motor release – up 20kg
- Clutch protected
- Improved battery


Easy insert, LED Charge Indicator, on/off button, 250h standby

- High strength steel body
- Reinforced safety latch
- Hidden Antena
- Improved Magnet


SWL. 5t, 10t and 20t models available.

Better performance, Sensor indicators ring or sling is in position


Product Link		Chain Slings		G20 Pick and Carry Crane	Spider Mini Crane	Crane Skips
--------------	---	--------------	---	--------------------------	-------------------	-------------



1. the magnet attracts the ring...



2. ...adjust the lifting hook...



3. ...and elevate the load.



WINCHING

- TIRAKS
- PULLING MACHINES
- HYDRAULIC PULLING MACHINES
- WINCHES
- SNATCH/REEVING BLOCKS
- CABLE DRUM TRAILER
- CAPSTAN WINCH
- CABLE ROLLERS

WINCHING

	PULLING MACHINES	Product Link
	0.8t to 5t SWL	Slings Shackles
	Suitable for lifting and hauling operations	
	Unlimited rope lengths available	Digital Load Indicator
	Report of Thorough Examination Supplied	
	HYDRAULIC PULLING MACHINES	Product Link
	Hydraulic Tirfor Machines available to hire	Slings Shackles
	0.8t to 5t SWL	
	Suitable for lifting and hauling operations	Digital Load Indicator
	Unlimited rope lengths available	
	Report of Thorough Examination Supplied	
	WINCHES	Product Link
	0.5t - 10t SWL	Slings Shackles
	Pneumatic, Electric, Diesel and Petrol powered	
	Diesel and Petrol powered	Digital Load Indicator
	Heavy duty	
	Lifting and hauling application	Cable Rollers Snatch/ Reeving Blocks
	Report of Thorough Examination Supplied	
	SNATCH/REEVING BLOCKS	Product Link
	For use with varying diameters of wire rope	Slings Shackles
	Increases lifting/hauling capacity	
	Enables the direction of lift/haul to be changed	Winches Pulling Machines Hydraulic Pulling Machines
	Report of Thorough Examination Supplied	












LIFTING APPLICATION
<div>1.1) LIFTING — machine anchored above load</div> <div><div><div>1 t</div><div>0.925 t</div><div>1,925 t</div></div><div><div>1 t</div><div>1.765 t</div><div>2,765 t</div></div><div><div>1 t</div><div>2.545 t</div><div>3,545 t</div></div><div><div>1 t</div><div>3.260 t</div><div>4,260 t</div></div></div>
HAULING APPLICATION
<div>1.2) LIFTING — machine anchored to load</div> <div><div><div>1,925 t</div><div>0.925 t</div><div>1,925 t</div></div><div><div>2,765 t</div><div>1.765 t</div><div>2,765 t</div></div><div><div>3,545 t</div><div>2.545 t</div><div>3,545 t</div></div><div><div>4,260 t</div><div>3.260 t</div><div>4,260 t</div></div></div> <div>1.3) LIFTING — machine anchored at ground level</div> <div><div><div>2,785 t</div><div>1,785 t</div><div>1,785 t</div></div><div><div>3,575 t</div><div>2,575 t</div><div>2,575 t</div></div><div><div>4,310 t</div><div>3,310 t</div><div>3,310 t</div></div><div><div>5 t</div><div>4 t</div><div>4 t</div></div></div>
PULLING - CONFIGURATIONS VIA DIFFERENT REEVES
<div>2.1) PULLING — Case No 1</div> <div><div><div>1 t</div><div>0.925 t</div><div>1,925 t</div></div><div><div>1 t</div><div>1.765 t</div><div>2,765 t</div></div><div><div>1 t</div><div>2.545 t</div><div>3,545 t</div></div><div><div>1 t</div><div>3.260 t</div><div>4,260 t</div></div></div> <div>2.2) PULLING — Case No 2</div> <div><div><div>1 t</div><div>0.925 t</div><div>1,925 t</div></div><div><div>1 t</div><div>1.765 t</div><div>2,765 t</div></div><div><div>1 t</div><div>2.545 t</div><div>3,545 t</div></div><div><div>1 t</div><div>3.260 t</div><div>4,260 t</div></div></div> <div>2.3) PULLING — machine attached to load</div> <div><div><div>1,925 t</div><div>1,925 t</div><div>1,925 t</div></div><div><div>2,765 t</div><div>2,765 t</div><div>2,765 t</div></div><div><div>3,545 t</div><div>3,545 t</div><div>3,545 t</div></div><div><div>4,260 t</div><div>4,260 t</div><div>4,260 t</div></div></div>









	CABLE DRUM TRAILER Equipped with a manual hydraulic pump to lift up to 2350kg payload Road towable 1280mm Maximum drum width 2500mm Maximum drum diameter 1060mm Minumum drum diameter 76mm Spindle diameter	Product Link Winches Pulling Machines Hydraulic Pulling Machines Cable Rollers
	CAPSTAN WINCHES For Telecommunications cable, general cabling and sub duct work Pulls up to 3000kg of line Line speeds of 0-12m/min @ 3000kg and 0-30m/min @ 1000kg 15.5hp water cooled diesel engine	Product Link Cable Trailer Cable Rollers Slings Shackles
	CABLE ROLLERS A wide variety of cable rollers to guide and protect cable during pulling operations; • Cable Rollers • Triple Corner Rollers • Manhole Rollers	Product Link Cable Trailer Winches Capstan Winch Pulling Machines Hydraulic Pulling Machines
	CABLE DRUM JACKS Up to 10t SWL Adjustable in height Robust construction A heavy duty aid for cable laying Report of Thorough Examination Supplied	Product Link Winches Cable Rollers Pulling Machine Hydraulic Pulling Machine


JACKING

- HYDRAULIC RAMS
- HYDRAULIC PUMPS AND HOSES
- MANIFOLDS
- GAUGES
- ELECTRIC PUMPS
- HYDRAULIC JACKS
- RATCHET TOE JACKS
- CABLE DRUM JACKS
- TROLLEY JACKS
- LOW HEIGHT CYLINDERS

	HYDRAULIC RAMS	Product Link
	Up to 500t SWL	 <div>Manifolds Pumps Hoses Gauges</div>
	Varying sizes available	
	Hi-flow coupling operation	
	Single acting, double acting, low height, screwed and hollow models available	
	Can be used in multiples to suit requirements	
	HYDRAULIC PUMPS & HOSES	Product Link
	Hand and powered operation	 <div>Hydraulic Ram Gauge Hydraulic Hose Manifold</div>  <div>Compressive Load Cell</div>
	Choice of oil capacity	
	Portable	
	Multi-ram operation available if required	
	Report of Thorough Examination Supplied	
	MANIFOLDS	Product Link
	For use with multiple ram applications	 <div>Hydraulic Ram Hydraulic Pump and Hoses</div>
	Enables synchronised lifting from a single pump	
	Various sizes available up to 8 ports	
	Report of Thorough Examination Supplied	
	GAUGE	Product Link
	Allows constant pressure monitoring	 <div>Hydraulic Ram Hydraulic Pump and Hoses Manifolds</div>
	Accurate to ±1 % of full scale	
	Sizes to suit various applications	

JACKING





	ELECTRIC PUMP	Product Link
	Various power set ups available	 Hydraulic Ram Hoses Gauge Manifolds
	Battery power, 240V and 110V available	
	Various reservoir sizes available for multiple ram set ups	
	Available with manual valve load holding feature	
	Externally adjustable pressure relief valve	
	HYDRAULIC JACKS	Product Link
	0.5t - 100t SWL	 Skoots Pallet Trucks
	Heavy duty	
	Lifting and hauling application	
	Report of Thorough Examination Supplied	
	RATCHET TOE JACKS	Product Link
	Up to 20t SWL	 Skoots Pallet Trucks
	Portable	
	Heavy duty	
	Report of Thorough Examination Supplied	
	TROLLEY JACKS	Product Link
	Up to 10t SWL	 Pallet Trucks
	Smooth lift operation	
	Report of Thorough Examination Supplied	



GENERAL TACKLE

- CHAIN SLINGS
- WHEEL BARROW CHAIN SLINGS
- WIRE ROPE SLINGS
- ROUND SLINGS
- FLAT WEBBING SLINGS
- SHACKLES

21

	CHAIN SLINGS	Product Link
	Up to 67t SWL	<div> Wire Rope Slings Shackles Fibre Slings</div> <div> Load Measurement</div> <div> Hoisting</div>
	Available from 7mm to 32mm construction	
	Complete range of hooks available	
	Unlimited leg length	
	Report of Thorough Examination Supplied	

Advice for Use


DO





















- Check the condition of the slings before use
- Check that the chain legs are not twisted
- Check that the load is on the centre of the hook and not the tip

DO NOT

- Do not carry out self repairs
- Do not use the slings over the maximum permissible limit or specified angle
- Do not shock load
- Do not use chain and accessories outside of temperature range -40°C and +200°C

Number of Legs							
	1	2	3	3	4	4	4
ANGLE	90°	0°- 45°	45°- 60°	0°- 45°	45°- 60°	0°- 45°	45°- 60°
FACTOR	1	1.4	1	2.1	1.5	2.1	1.5
7mm	1.50	2.12	1.50	3.15	2.24	3.15	2.24
8mm	2.00	2.80	2.00	4.25	3.00	4.25	3.00
10mm	3.15	4.25	3.15	6.70	4.75	6.70	4.75
13mm	5.30	7.50	5.30	11.20	8.00	11.20	8.00
16mm	8.00	11.20	8.00	17.00	11.80	17.00	11.80
20mm	12.50	17.50	12.50	26.50	19.00	26.50	19.00
22mm	15.00	21.20	15.00	31.50	22.40	31.50	22.40
26mm	21.20	30.00	21.20	45.00	31.50	45.00	31.50
32mm	31.50	45.00	31.50	67.00	47.50	67.00	47.50



	SLINGS (FLAT)	Product Link
	Up to 230t SWL	<div> Shackles  Hoisting</div> <div> Winching</div> <div> Material Handling</div> <div> Digital Load Indicator</div>
	Supplied in 1m increments	
	Safety factor 7:1	
	Protective sleeves available	
	Light weight and flexible	
	Report of Thorough Examination Supplied	
	SLINGS (ROUND)	Product Link
	Up to 230t SWL	<div> Shackles  Hoisting</div> <div> Winching</div> <div> Material Handling</div> <div> Digital Load Indicator</div>
	Supplied in 1m circumference increments	
	Safety factor 7:1	
	Protective sleeves available	
	Light weight and flexible	
	Report of Thorough Examination Supplied	
	WHEEL BARROW CHAIN SLINGS	Product Link
	0.5t SWL	<div> Shackles</div> <div> Builders Hoist Scaffold Hoist</div>
	Easy to use	
	Report of Thorough Examination Supplied	
	WIRE ROPE SLINGS	Product Link
	Up to 200t SWL	<div> Shackles</div> <div> Winching</div> <div> Hoisting</div> <div> Digital Load Indicator</div>
	Available in 1m increments up to 30m	
	Report of Thorough Examination Supplied	

Round Slings


Including colour coded range, woven stripe, showing safe working load. 1 stripe = 1 tonne. Available with Tetra and heavy duty sleeve cover. Manufactured to EN1492-2 as applicable. Report of thorough examination supplied.




Flat Webbing Slings

Including colour coded range, soft eye and metal end fitting rings AL1, AL2, AL3, AL4, AL5. Duplex Manufactured to EN1492-1 as applicable.



Sling Type						Working Load Limit				
Webbing				Round						
Duplex	Width	Endless	Width		Colour	M = 1	M = 0.8	M = 2	M = 1.4	M = 1
D1	30	E1	30	R1	Violet	1	0.8	2	1.4	1
D2	60	E2	60	R2	Green	2	1.6	4	2.8	2
D3	90	E3	90	R3	Yellow	3	2.4	6	4.2	3
D4	120	E4	120	R4	Grey	4	3.2	8	5.6	4
D5	15			R5	Red	5	4	10	7	5
D6	180			R6	Brown	6	4.8	12	8.4	6
D8	240			R8	Blue	8	6.4	16	11.2	8
D10	300			R10	Orange	10	8	20	14	10
				R12	Orange	12	9.6	24	16.8	12
				R15	Orange	15	12	30	21	15
				R20	Orange	20	16	40	28	20
				R25	Orange	25	20	50	35	25
				R30	Orange	30	24	60	42	30



GREEN PIN STANDARD BOW SHACKLES WITH SCREW COLLAR PIN

- Meets the performance requirements of the withdrawn standard BS 3032
- Material: Carbon Steel C45
- Self coloured and hot dip galvanised finish available
- Proof load tested to 2 times the SWL
- Minimum breaking load is 4 times the SWL
- Marked with manufacturers mark, size ID mark and SWL
- Report of Thorough Examination Supplied

W.L.L (tonnes)	A (inches)	B (inches)	C (inches)	D (inches)	E (inches)	Weight (kg/each)
0.25	1/4	3/8	1/2	1	1/4	0.10
0.50	3/8	1/2	3/4	1 1/2	1	0.12
0.75	1/2	5/8	1 1/8	2 1/8	1 1/4	0.29
1.50	5/8	3/4	1 1/4	2 1/2	1 1/2	0.57
2.00	3/4	7/8	1 1/2	2 7/8	1 3/4	0.92
3.00	7/8	1	1 3/4	3 1/4	2	1.59
3.75	1	1 1/8	2	3 3/4	2 1/4	2.12
5.00	1 1/8	1 1/4	2 1/8	4 1/8	2 1/2	3.18
6.00	1 1/4	1 3/8	2 3/8	4 1/2	2 3/4	4.54
7.00	1 3/8	1 1/2	2 5/8	5	3	6.06
9.50	1 1/2	1 3/4	2 3/4	5 3/8	3 1/2	8.74



WE SELL AS WELL


Sunbelt Rentals also offers a wide range of products for sale to meet the needs of our customers who prefer to buy instead of hire.

The sale of lifting gear products is an area where the extensive experience of our staff will ensure you get the right product to facilitate your lifting and safety equipment requirements.

Every piece of equipment we offer is supported by an after-sales inspection and repair service which is based on the proven capabilities and resources which we devote to our own inventory of hire equipment.

Our range of lifting and safety equipment includes:

- Builders hoists
 - Chain slings
 - Chain blocks (manual and powered)
 - Girder clamps/trolleys
 - Fibre slings (duplex/round)
 - Hydraulic jacks and rams
 - Inertia reels
 - Lever hoists
 - Lashing systems
- Machine skates
 - Pallet trucks
 - Sack trucks
 - Safety harnesses/lanyards
 - Shackles
 - Snatch blocks
 - Pulling machines
 - Winches
 - Wire rope slings
 - And much more



LARGE DEE SHACKLES C/W TYPE 'A' SCREW COLLAR PIN

- Grade 6 high tensile steel, quenched and tempered
- Minimum breaking load is 6 times the SWL
- Temperature range -20°C upto +200°C
- Report of Thorough Examination Supplied
- Conforms to EN 13889 and meets the performance requirements of US Fed Spec RC-C-271 Type IVA class 2, Grade A.
- Hot dipped galvanised

W.L.L (tonnes)	a (mm)	b (mm)	c (mm)	d (mm)	e (mm)	f (mm)	g (mm)	h (mm)	i (mm)	j (mm)	Weight (kg)
0.33	5	6	12.5	5	9.5	22	16	41	31	28	0.02
0.5	7	8	17	7	12	29	20	54	40	37	0.05
0.75	9	10	21	9	13.5	32	22	61	49	42	0.1
1	10	11	23	10	17	36.5	26	71	56	49	0.14
1.5	11	13	26	11	19	43	29	80	68	54	0.19
2	13.5	16	34	13.5	22	51	32	91	76	63	0.36
3.25	16	19	40	16	27	64	43	114	93	79	0.63
4.75	19	22	47	19	31	76	51	136	107	94	1.01
6.5	22	25	53	22	36	83	58	157	123	107	1.5
8.5	25	28	60	25	43	95	68	176	141	124	2.21
9.5	28	32	67	28	47	108	75	197	158	137	3.16
12	32	35	74	32	51	115	83	218	176	154	4.31
13.5	35	38	80	35	57	133	92	240	192	170	5.55
17	38	42	89	38	60	146	99	262	208	183	7.43
25	45	50	104	45	74	178	126	314	250	226	12.84
35	50	57	111	50	83	197	138	358	281	250	18.15
42.5	57	65	134	57	95	222	160	414	321	287	26.29
55	65	70	145	65	105	260	180	463	355	329	37.6

Want to buy?
Please contact your local Service Centre to discuss your requirements

MODULAR CANTILEVER LIFTING BEAM



DIFFERENT SIZES AVAILABLE ON REQUEST






Product Link

 Slings

 Shackles

 Crane Hire





MODULAR SPREADER BEAMS (LIFTING BEAMS)

up to 600t

1m - 29m

Mod Beam


Cmod Beam


Lattice Beam


Cantilever Beam


Spreader Beam


Product Link

 Slings

 Shackles

 Digital Load Indicator

 Crane Hire



LIFTING BEAMS

Up to 50 SWL


1m - 12m effective working lengths (subject to model type)


Lightweight design


Single or Multipoint Configuration


Report of Thorough Examination Supplied


Product Link

 Slings

 Shackles

 Digital Load Indicator

 Crane Hire



LATTICE ROOF SHEET BEAM


Up to 3t SWL


Available up to 42m length in 3m sections


Lightweight


Report of Thorough Examination Supplied

Product Link

 Slings

 Shackles

 Digital Load Indicator

 Crane Hire




SUNBELTRENTALS.CO.UK FOR MORE INFO




29

MATERIAL HANDLING




- SKOOTS
- GANTRIES
- SHEAR LEGS
- CRANE FORKS
- FLOOR CRANES
- PALLET TRUCKS
- ROUSTABOUTS
- VACUUM LIFTS
- MACHINE SKATES
- SHIFTA CONVEYOR
- SPREADER BEAMS
- BLOCK/KERB GRABS
- MATERIAL LIFTS
- BUMPA/HODDI HOIST
- POWERED STAIR CLIMBER
- GLASS HANDLING MACHINES



	GANTRIES	Product Link
	0.5t - 20t SWL	<div> Slings</div> <div> Hand Operated Chain Hoist Electric Chain Block Portable Hoist, Air Hoist Girder Clamps, Girder Trolleys</div>
	Adjustable in height and width	
	Report of Thorough Examination Supplied	
	Ideal for use where space is at a premium	

	ALUMINIUM GANTRIES	Product Link
	Up to 5t SWL	<div> Slings</div> <div> Hand Operated Chain Hoist Electric Chain Block Portable Hoist, Air Hoist Girder Clamps, Girder Trolleys</div>
	Adjustable in height	
	Lightweight	
	Various beam lengths available 3m to 6m span	
	Report of Thorough Examination Supplied	

	RAPIDE GANTRIES	
	Upto 500kg	Load bearing, lockable castors for easy positioning
	Adaptable, multi-purpose trolleys	Report of thorough Examination supplied
	Rapid assembly by one person in less than a minute	Can be used as a rescue frame see page 52 for more information
	Winch options available	Harness and lanyard

	SHEAR LEGS	Product Link
	0.5t - 3t SWL	<div> Chain Slings Shackles</div> <div> Hand Operated Chain Hoist Electric Chain Hoist</div>
	Adjustable in height and width	
	Report of Thorough Examination Supplied	





GML 800+ M-SERIES MATERIAL LIFT


- High safe working loads, versatile applications, ease of operation and durability are some of the most important aspects in the development of the GML800+ range.
- Manual winch, each with worm gear for powerful use or small use of force when cranking.
- The GML800 + series is constructed such that the outriggers can be mounted to the front and to the rear on the chassis. This allows to combine the lift on respective use and local conditions individually

GML 800+ IS AVAILABLE IN



M-Serie	GML800+ /10/M	GML800+ /15/M	GML800+ /20/M	GML800+ /25/M
Working height - Standard fork up	3.49m	4.98m	6.46m	7.94m
Transport position - height/length/width	1.98/1.00/0.78m	1.98/1.00/0.78m	1.8/1.00/0.78m	1.98/1.00/0.78m
Working position - height/length/width	1.98/1.94*/0.78m	1.98/1.94*/0.78m	1.98/1.94*/0.78m	1.98/1.94*/0.78m
Safe working load (load centre at 28 cm)	900kg	850kg	850kg	800kg
Weight Chassis + outriggers	237kg	260kg	293kg	316 kg
Weight - counterbalance weights + box	207kg	207kg	207kg	207kg

MATERIAL HANDLING




	MATERIAL LIFTS	Product Link
	Up to 454kg SWL	 <div>Pallet Trucks Bogeys Boom Extension Drum Support Attachment Platform Attachment Extension Forks</div>
	Lifting heights available up to 25 feet	
	One person operation	
	Report of Thorough Examination Supplied	




COUNTER BALANCE MATERIAL LIFT		
	Available in load of 300kg - 450kg	Ground Clearance, working position - 0.8m
	Height lifting upto - 6.90m	Loading height minimum- 0.27m
	Height Stowed upto - 2.04m	Payload - 300kg
	Length Stowed upto - 1.02m	Weight basic chassis - 204kg
	Width Stowed upto - 0.80m	Weight complete - 332kg
	Working position - 2.20m	




MATERIAL LIFT ATTACHMENTS *SWL Reduction at various points - Please ask for details			
			
Boom extension*	Drum support attachment	Platform attachment	Extension forks*




	ROUSTABOUT MATERIAL LIFTS	Product Link
	Up to 680kg SWL	 <div>Pallet Trucks Bogeys</div>
	Lifting height up to 7500mm	
	Dual speed winch	
	One person operation	
	Report of Thorough Examination Supplied	











MATERIAL HANDLING

	PALLET TRUCKS	Product Link
	Up to 3t SWL	 <div>Skoots Bogeys</div>  <div>Rack and Pinion Hoist</div>
	Highly versatile	
	Robust construction	
	Long reach models available	
	Report of Thorough Examination Supplied	

	URBAN ELECTRIC PALLET TRUCK	Product Link
	Upto 500kg capacity	 <div>Skoots Bogeys</div>  <div>Rack and Pinion Hoist</div>
	Effective parking brake holds the truck safely on slopes or on lorry tail lifts.	
	Cope with pavements and curbs up to 70mm high and handle ramps	
	Low noise level	











	ALL TERRAIN PALLET TRUCKS - Powered and Manual	Product Link
	Up to 1.5t SWL	 <div>Skoots Bogeys</div>  <div>Rack and Pinion Hoist</div>
	Ideal for uneven surfaces	
	Report of Thorough Examination Supplied	

	POWERED PALLET TRUCKS	Product Link
	Up to 2t SWL	 <div>Skoots Bogeys</div>  <div>Rack and Pinion Hoist</div>
	110V/240V charge	
	Labour saving	
	Report of Thorough Examination Supplied	











	POWERED PEDESTRIAN OPERATED STACKER TRUCKS	Product Link
	Up to 1.2t SWL	<div> Skoots Bogeys</div> <div> Rack and Pinion Hoist</div>
	110V/240V charge	
	Labour saving	
	Report of Thorough Examination Supplied	
	FORK LIFT ATTACHMENTS	Product Link
	Up to 5t SWL	<div> Chain Slings Slings Shackles</div>
	Highly versatile	
	Easy installation	
	Report of Thorough Examination Supplied	
	TIPPING SKIPS	Product Link
	H 1220mm D 1760mm W 1300mm	<div> Chain Slings Slings Shackles</div>
	SWL: WLL 1000Kg	
	Self-Weight 240kg	
	Report of Thorough Examination Supplied	
	Auto lock also available	
	RUBBLE TRUCK	Product Link
	Max Load 750kg	<div> Chain Slings Shackles</div> <div> Rack and Pinion Hoist</div>
	Measures 750mm (w) x 1530mm (l) x 930mm (h)	
	400Litre Volume	
	Total weight (empty) 67kg	
	Report of Thorough Examination Supplied	











	COUNTER-BALANCED HYDRAULIC FLOOR CRANES	Product Link
	0.25t - 1t SWL	<div> Portable Hoist Hand Operated and Electric Chain Blocks</div> <div> Slings Shackles</div>
	Telescopic lifting points	
	Highly manoeuvrable	
	Report of Thorough Examination Supplied	
	OUT-RIGGED HYDRAULIC FLOOR CRANES	Product Link
	0.25t - 3t SWL	<div> Portable Hoist Hand Operated and Electric Chain Blocks</div> <div> Slings Shackles</div>
	Highly versatile	
	Telescopic lifting points	
	Report of Thorough Examination Supplied	
	MACHINE MOVING SKATES	Product Link
	6t - 100t capacity	<div> Pallet Trucks Skoots</div> <div> Pulling Machines Hydraulic Pulling Machines Winches</div>
	Available in caterpillar and nylon models	
	Easy to use	
	Low headroom	
	Report of Thorough Examination Supplied	
	2 & 4 WHEEL BOGEYS	Product Link
	Up to 2t SWL	<div> Pallet Trucks Skoots</div> <div> Pulling Machines Hydraulic Pulling Machines Winches</div>
	Turntable operation	
	Varying platform size	
	Flat top and V-shape 2 wheel bogeys also available	
	Report of Thorough Examination Supplied	













MATERIAL HANDLING









	STAIR CLIMBING TROLLEYS/SACK TRUCKS	Product Link
	Up to 0.35t SWL	<div> 4 Wheel Bogeys Pallet Trucks</div> <div> Slings Shackles</div>
	Highly versatile	
	Report of Thorough Examination Supplied	
	POWERED STAIR CLIMBERS	Product Link
	Up to 680kg SWL	<div> 4 Wheel Bogeys Pallet Trucks</div>
	Battery powered	
	One man operation	
	Report of Thorough Examination Supplied	
	PANEL TROLLEYS	Product Link
	Up to 1t SWL	<div> Rack and Pinion Hoist</div> <div> Chain Slings</div>
	Robust construction	
	For use with glass or flat sheet materials	
	Report of Thorough Examination Supplied	
	SKOOTS	Product Link
	Up to 5t SWL	<div> 4 Wheel Bogeys Pallet Trucks</div>
	Hydraulic operation	
	Highly manoeuvrable	
	Report of Thorough Examination Supplied	









MATERIAL HANDLING









	CRANE FORKS	Product Link
	Up to 2t SWL	<div> Slings Shackles</div> <div> Crane Hire</div>
	Adjustable in height and width	
	Supplied with a rated safety net	
	Tapered forks for easy pallet pick-up	
	Report of Thorough Examination Supplied	
	GAS BOTTLE CARRIER	Product Link
	Up to 6 bottle capacity	<div> Slings Shackles</div> <div> Crane Hire</div>
	Safe method of lifting	
	Report of Thorough Examination Supplied	
	SHIFTA - PORTABLE CONVEYOR	Product Link
	Ideal for use with stones, aggregate, soil, concrete etc	<div> Skip Lifting Cradle</div>
	Maximum payload 150kg	
	5kva 110v transformer will run four linked machines	
	Max angle 50° depending on material (eg. Stones, aggregate, soil)	
	In built belt tracking and scraper (scraper front and back)	
	Detachable hopper	
	Report of Thorough Examination Supplied	
	BUMPA/HODDI HOIST	Product Link
	Up to 10m operation	<div> Bogeys Pallet Trucks Starke Bin</div>
	110V availability	
	Easy Installation	
	Hoddi buckets available to hire/purchase	
	Report of Thorough Examination Supplied	












	GEKO PV+	Product Link
	SWL 250kg	 <div>Bogey Pallet Trucks Panel Trolley</div>
	Working height 2.5m	
	Extendable frame	
	100m and 300mm extensions available	
	Not suitable for use in rain	
	Report of Thorough Examination Supplied	
	GEKO MRT4	Product Link
	SWL 250kg	 <div>Bogey Pallet Trucks Panel Trolley</div>
	Working height 2.65m	
	Fits through standard doorway	
	Not suitable for use in rain	
	Report of Thorough Examination Supplied	
	GEKO PV	Product Link
	Capacity 250kg	 <div>Bogey Pallet Trucks Panel Trolley</div>
	Working height 2.5m	
	Extendable frame accommodates a wide variety of windows and glass shapes	
	Min width 618mm, fits through a standard doorway	
	Hydraulic lifting and tilting powered by 12v battery pack	
	Not suitable for use in the rain	
	Report of Thorough Examination Supplied	
	POWERED VACUUM	Product Link
	Up to 1000kg SWL	 <div>Slings Shackles</div>
	Various sizes available	
	Loss of vacuum alarm	 <div>Chain Blocks Builders Hoist</div>
	Report of Thorough Examination Supplied	
	MRTA2	 <div>G20 Pick and Carry Crane Mini Spider Crane Crane Hire</div>
	MRTA6	
	MRTA8	






















	GLASSBOY 330 & 500	Product Link
	SWL 330kg/500kg	 <div>Slings Shackles</div>
	Max height of hook 2.7m	
	Hydraulic lifting arm	 <div>Portable Hoists</div>
	Hoist not included	
	Report of Thorough Examination Supplied	
	BIGFOOT	Product Link
	SWL 280kg	 <div>Slings Shackles</div>
	Max height of hook 2.6m	
	Rough terrain wheels	 <div>Bogey Pallet Trucks Panel Trolley</div>
	Report of Thorough Examination Supplied	
	GLASSMAX 250	Product Link
	SWL 250kg	 <div>Slings Shackles</div>
	Maximum height 7.5m	
	Report of Thorough Examination Supplied	 <div>Bogey Pallet Trucks Panel Trolley</div>
	GLASSMAX 500	Product Link
	SWL 500kg	 <div>Slings Shackles</div>
	Working height 2.5m	
	Maximum height 4.8m	 <div>Bogey Pallet Trucks Panel Trolley</div>
	Report of Thorough Examination Supplied	
















	CONCRETE PIPE LIFTER	 Pallet Trucks Bogeys
	Designed for the safe lifting of pipes from transport vehicles to the placement within trenches.	
	The RVD-4 can be attached to any lifting device with a quick change facility.	
	Capable of lifting one pipe up to 4.000kg and with diameters of between 300mm to 1.200mm.	
	Carrying Capacity - 4000kg SWL	
	Gripping Range - 300mm -1200mm	
	VACUUM LIFTING EQUIPMENT VH1	Product Link
	Carrying capacity 25kg and 50kg SWL	 Pallet Trucks Bogeys
	One person operation for lightweight slabs and short transportation distance	
	Two person operation upto 50kg	
	VACUUM LIFTING EQUIPMENT - SH1000	Product Link
	Carrying capacity 1000kg SWL	 Pallet Trucks Bogeys
	Petrol powered	
	Various suction plates available for use with suitable plant	
	VACUUM LIFTING EQUIPMENT - SH2500	Product Link
	Carrying capacity 2500kg SWL	 Pallet Trucks Bogeys
	Petrol powered	
	Various suction plates available for use with suitable plant	

	VACUUM LIFTING EQUIPMENT - BV VARIO	Product Link
	Carrying capacity 150kg swl	 Pallet Trucks Bogeys
	Fork mounted vacuum unit	
	Petrol powered	
	Various suction plates available	
	VACUUM LIFTING EQUIPMENT - TRAILER MOUNTED BV	Product Link
	Carrying capacity 150kg	 Pallet Trucks Bogeys
	Trailer mounted	
	Petrol powered	
	Various suction plates availble	
	KERB AND SLAB LIFTING EQUIPMENT - BZ KERB HANDLES	Product Link
	Carrying capacity 50kg	 Pallet Trucks Bogeys
	Gripping range 0mm - 400mm	
	One and two person lifting handles	
	Not Supplied as a pair	
	BVZ UNIVERSAL HANDLE	Product Link
	Carrying capacity 50kg	 Pallet Trucks Bogeys
	Gripping range 0mm - 550mm	
	Two person operations	

	VZ1 KERB STONE HANDLE	Product Link
	Carrying capacity 100kg	 Pallet Trucks Bogeys
	Gripping range 500mm - 1045mm	
	Two person operations	
	For use with suitable plant	
	EXG EASY GRIP STONE HANDLE	Product Link
	KERB AND SLAB LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment
	Carrying capacity 500kg swl	
	Gripping range 0mm - 300mm	
	Two person operations	
	For use with suitable plant	
	TSV STEP HANDLES	Product Link
	KERB AND SLAB LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment
	Carrying capacity 250kg swl	
	Gripping range 70mm - 500mm	
	Two person operations	
	For use with suitable plant	
	TSZ UNI STEP HANDLES	Product Link
	KERB AND SLAB LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment
	Carrying capacity 600kg swl	
	Gripping range 50mm - 600kg swl	
	For use with suitable plant	

	FTZ UNI 15 CONCRETE GRAB	Product Link
	KERB AND SLAB LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment
	Carrying capacity 1500kg	
	Gripping range 0mm - 750mm	
	For use with suitable plant	
	FTZ UNI 50 CONCRETE GRAB	Product Link
	KERB AND SLAB LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment  Crane Hire
	Carrying capacity 5000kg swl	
	Gripping range 0mm - 850mm	
	For use with suitable plant	
	SVZ UNI MANHOLE RING INSTALLATION CLAMP	Product Link
	PIPE & MANHOLE LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment  Crane Hire
	Carrying capacity 2500kg swl	
	Gripping range 900mm - 1800mm (complete with adaptors)	
	For use with suitable plant	
	SRG UNI MANHOLE RING CLAMPS	Product Link
	PIPE & MANHOLE LIFTING EQUIPMENT	 Pallet Trucks Bogeys Fork Lift Attachment  Crane Hire
	Carrying capacity 1500kg and 3000kg	
	1500kg gripping range 400mm - 1200mm	
	3000kg gripping range 600mm - 1800mm	
	For use with suitable plant	









	SDH-H MANHOLE COVER LIFTER	Product Link
	PIPE & MANHOLE LIFTING EQUIPMENT	<div> Gas Detector</div> <div> Escape Set</div> <div> Tripod</div> <div> Rapide Gantry</div> <div> Safety Harness</div> <div> Lanyard</div> <div> Counter Balance Davit</div>
	Carrying capacity 1500kg swl	
	2-4 key cover lifter	
	RG5-150 ROUND PIPE GRAB	Product Link
	PIPE & MANHOLE LIFTING EQUIPMENT	<div> Pallet Trucks</div> <div> Bogeys</div> <div> Fork Lift Attachment</div> <div> Crane Hire</div>
	Carrying capacity 5000kg	
	Gripping range 600mm - 1500mm	
	SG40 – SG80 SCISSOR GRAB	Product Link
	Carrying capacity 1800kg	<div> Pallet Trucks</div> <div> Bogeys</div> <div> Fork Lift Attachment</div> <div> Crane Hire</div>
	Gripping range 500mm - 1100mm	
	For use with suitable plant (fork sleeve attachment available)	
	BZSH SITE FENCE BLOCK LIFTER	Product Link
	Carrying capacity 35kg	<div> Pallet Trucks</div> <div> Bogeys</div>
	One or two person operation	
	For use with suitable plant	







	H-FVZ BOULDER GRAB	Product Link
	Carrying capacity 200kg swl	<div> Pallet Trucks</div>
	Gripping range 0mm - 600mm	
	Two person operation	
	VTK-V BLOCK CART	Product Link
	Carrying capacity 400kg swl	<div> Pallet Trucks</div> <div> Bogeys</div>
	Gripping range 550mm - 1050mm	
	One person operation	
	VPH150	Product Link
	Upto 150kg swl	<div> Pallet Trucks</div> <div> Bogeys</div> <div> Slings</div> <div> Shackles</div>
	12V battery powered vacuum lifter for both slabs and kerbs	
	Wheel kit available	
	STONE MAGNET	Product Link
	Carrying capacity 400kg swl	<div> Pallet Trucks</div> <div> Bogeys</div> <div> Slings</div> <div> Shackles</div>
	Gripping range 0mm - 550mm	
	For use with suitable plant	
	Various suction plates available	
	Wheel kit available	







SAFETY

- SAFETY HARNESES
- TEMPORARY SAFETY LINES
- FALL ARREST DEVICES
- MAN-RIDING SHEAR LEGS
- MOBILE MAN ANCHOR
- LANYARDS



	SAFETY HARNESES	Product Link
	Fully adjustable harnesses	 <div>Fall Arrest Device Man-Riding Shear Legs Man-Riding Davit Lanyards Rapide Gantry</div>
	Full range available	
	Arrest and restraint lanyards available	
	Fully compliant with PPE regulations	
	Report of Thorough Examination Supplied	
	Accreditation to EN361	
	LANYARDS	Product Link
	Available in restraint or shock absorber designs	 <div>Harnesses Escape Sets Gas Detector Horizontal Safety Line</div>
	Various connectors available	
	Standard length 2m	
	Single or twin leg available	
	FALL ARREST DEVICE	Product Link
	Available up to 30m	 <div>Man-Riding Shear Legs Safety Harness Mobile Man Anchor Rapide Gantry</div>
	Fail safe locking mechanism	
	Robust and compact	
	Report of Thorough Examination Supplied	
	MAN-RIDING SHEAR LEGS	Product Link
	For man-riding/man-rescue operations	 <div>Harnesses Escape Sets Gas Detector</div>
	Adjustable in height	
	Compliant to current legislation	
	Report of Thorough Examination Supplied	

	MOBILE MAN ANCHORS	Product Link
	Compact and easily assembled	 Harnesses Fall Arrest Device
	Suitable for use on flat or pitched roofs	
	Report of Thorough Examination Supplied	
	COUNTERWEIGHT MAN-RIDING DAVIT	Product Link
	The counterweight has independently adjustable legs for use on uneven ground	 Harnesses Escape Sets Gas Detector
	Base Weight: 60kg	
	Using Offset Masts 30104 or 30105 For a 4:1 Safety Factor: 360kg of Weights required per user	
	Overall Length: 2.08m	
	Overall Width: 1.5m	
	Pictured with upper and lower mast, 30m winch and rescue harness.	
	Utilises readily available barbell type weight plates.	
	BARREL MOUNT	Product Link
	Designed to be used with Davit Arms To fit shoaring with a max width of 2.25in (57mm)	 Harnesses Escape Sets Gas Detector Man Riding Davit System
	Weight: 18.14kg	
	Mild Steel with CS-500 finish	
	Larger throat width of 5in (127mm) available	





	TEMPORARY HORIZONTAL SAFETY LINE	Product Link
	Available up to 20m	 Safety Harness Lanyards
	Ratchet tensioning	
	Soft edge cut resistant polyester webbing	
	Simple and easy installation	
	Report of Thorough Examination Supplied	
	EZ LINE TEMPORARY SAFETY LINE	Product Link
	Temporary lifeline system for multi user application	 Harnesses Lanyards
	Designed for two users in fall restraint or fall arrest	
	Easy adjustment up to 12.2m span	
	Report of Thorough Examination Supplied	
	RAPIDE GANTRIES – SAFETY SET-UP	Product Link
	Personnel WLL up to 250kg	 Harnesses Escape Sets Gas Detector Horizontal Safety Line
	3 Person Fall Arrest to EN795:1997	
	Certified as part of an EN363 compliant system.	
	Atex: Suitable for use in ATEX Zone 2 explosive atmosphere	
	Lightweight and Portable	
	Within Manual Handling Guidelines weighing only 33kg	
	Report of Thorough Examination supplied	

Our dedicated Safety & Communications depots can also provide escape sets, gas detectors, defibrillators and much more. Just visit www.sunbeltrentals.co.uk for further info.



















LOAD MEASUREMENT

- DIGITAL LOAD INDICATORS
- COMPRESSIVE LOAD INDICATORS
- TEST WEIGHTS
- TEST CRADLES

	DIGITAL LOAD INDICATORS	Product Link
	Up to 100t SWL	<div> Shackles</div> <div> Hoisting</div> <div> Winching</div>
	Remote readout available	
	Compact and lightweight	
	Accuracy: ± 0.2% of nominal capacity	
	Report of Thorough Examination Supplied	

LOAD MEASUREMENT

	COMPRESSIVE LOAD INDICATORS	Product Link
	Up to 100t SWL	<div> Pump</div> <div> Hose</div> <div> Manifolds</div> <div> Gauge</div>
	Hand held readout	
	Robust and compact	
	Report of Thorough Examination Supplied	
	TEST WEIGHTS	Product Link
	Wide range available	<div> Slings</div> <div> Digital Load Indicator</div> <div> Pallet Trucks</div> <div> Bogeys</div> <div> Stillages</div>
	Transportation supplied	
	Report of Thorough Examination Supplied	
	TEST CRADLES	Product Link
	Wide range available	<div> Slings</div> <div> Digital Load Indicator</div> <div> Pallet Trucks</div>
	Full specifications upon request	
	Report of Thorough Examination Supplied	
	WEIGHT STILLAGE AND TROLLEY	
	Designed to enable the user to easily move weights around and greatly reduce the level of manual handling required	
	Each stillage can hold 4 no 20kg weights and added to the self-weight of the stillage totals 100kg	
	Each stillage with weights can then be transported by the trolley and positioned where required eliminating any carrying of the weights	
	For most hires only one trolley would be required and the respective number of weights and stillages to achieve the required total weight requirement by the customer	
	Commonly used for all types of testing work	

HEAVY LIFT AND CRANE HIRE

- CRANE ACCESSORIES
- CRANE HIRE
- LOAD WEIGHING EQUIPMENT
- HEAVY DUTY SLINGS
- HOIST CAM
- LIFTING BEAMS
- MODULAR BEAMS AND ACCESSORIES
- SHACKLES



We are proud to offer a variety of **Heavy lift and Crane Accessories**, including industry changing **Hoistcams** and the innovative **Modulift Spreader and Lifting Beam** range that can offer lifting solutions up to 1000 tonne SWL.








Our range of Heavy Lift equipment is immediately available for hire or supply and our team of experts can carry out site surveys to help find solutions to overcome any Heavy Lift challenge our customers may face.








OUR RANGE OF ACCESSORIES INCLUDE:

- Modular spreader beams up to 1000t
- CMOD Lifting Frame up to 250t
- Widebody shackles up to 500t
- Wire ropes/grommits 600t
- Dyneema ropes and slings
- Crane accessories and mats
- HOISTCAM - eliminates blind spots for your operators
- Active Link drop links with data logging available

OUR SERVICES INCLUDE:

- Bespoke design and manufacture of lifting beams/ accessories
- Advice on rig planning and full
- Site Surveys

	G20 PICK AND CARRY CRANE	Product Link
	Up to 2t SWL	<div> Portable Hoists Electric Hoists</div> <div> Slings Shackles</div>
	Small and compact	
	Report of Thorough Examination Supplied	
	Ideal for Curtain Wall installation	
	Battery powered	
	SPIDER MINI-CRANES	Product Link
	Up to 1t SWL or four men	<div> Digital Load Indicator</div> <div> Slings Shackles</div>
	Compliant to current legislation	
	Report of Thorough Examination Supplied	
	CRANE LIFTING ACCESSORIES	
	Up to 100t SWL	
	Conventional and all terrain specifications	
	Site survey available upon request	
	Banksman/riggers and appointed person supplied if required	
	Report of Thorough Examination Supplied	

	CRANE SKIPS	Product Link
	Up to 2000L	<div> Crane Hire</div> <div> Slings Shackles</div>
	Master flow, geared, rollover and funnel types available	
	Report of Thorough Examination Supplied	
	MAN-RIDING AND STRETCHER CRADLES	Product Link
	Up to 1t SWL or four men	<div> Harness Escape sets</div> <div> Crane Hire</div> <div> Slings Shackles</div>
	Variety of sizes/models available	
	Compliant to current legislation	
	Report of Thorough Examination Supplied	

BESPOKE DESIGNS AND SOLUTIONS

Sunbelt Rentals is able to arrange the design, manufacture and supply of a wide variety of lifting equipment, working with expert supply partners to ensure our customers get the highest quality and safest equipment every time.

We are always looking for innovation, to develop and adopt new lifting equipment to assist our customers. By working with our expert supply partners, all designs are fully supported by technical files with design calculations and drawings and we have worked alongside many of the UK leading names in Construction, Glass panel installation and Structural engineers.



CASE STUDIES

Client	MGA Northwest Limited
Project Name	Birkenhead Bridge
Location	Birkenhead, Wirral

THE CHALLENGE

This was a high profile project as there was significant disruption to the travelling public during the dismantling work. The route between Wallasey and Birkenhead is ordinarily very busy and there was no through route along Tower Road during the works, so time was of the essence. The bridge needed to be lifted by a floating crane and lifted over 300 metres to the quayside. With uncertainty relating to the exact weight of the bridge, FLG Services were tasked with supplying over 400 tonne of lifting tackle to complete this challenging lift.

THE SOLUTION

Following an assessment of the lift based on the customer's plan, FLG Services provided a comprehensive list of all the products and accessories needed to complete the lift successfully. This comprised a floating crane capable of lifting the structure and carrying it across to the quayside. The product range supplied by FLG Services included a 400 Tonne Modular Beam, 250 Tonne Dyneema Round Slings, 110H Modular Beams, 58 Tonne Wire Rope Slings, 55 Tonne Collar Chains and Widebody Shackles. Due to the heavy weight of the dismantled steel bridge, Health and Safety was the ultimate priority and FLG's expertise in the lifting sector was absolutely critical.

THE RESULTS

The lift was successfully completed in a single day with all lifting equipment supplied by the local FLG service centre in Liverpool. This project showcased FLG's investment in heavy lifting equipment, and our expertise in completing demanding lifts.



Client	Osprey Ltd
Project Name	Water for Maiden Voyage
Partner Supplier	Modulift

THE CHALLENGE

Osprey accepted a scope of work from shipbuilder Wight Shipyard to move the vessel from the shed where it was built to the water at Venture Quays, Cowes on the Isle of Wight, before a course was set for its final destination in Austria. The 250-passenger Twin City Liner is 39.7m long, 11.1m wide, and 6.8m high.

The first challenge was removing the vessel, which is due to arrive in Vienna in time for the start of the new season at the end of March 2019 from its building. Osprey selected two, six-axle Goldhofer self-propelled modular transporters (SPMT) to work in tandem to move the load to within the reach of the Liebherr LTM1800D. The crane was complete with a 36m high rig, designed to accommodate a 3.7m centre of gravity offset and different elevations of the boat's lifting eyes.

THE SOLUTION

A Modulift MOD400 was used at a 29m span beneath 29m long and 26.4m long top slings to balance the lift, these Dyneema and polyester slings also provided by FLG Services. Two MOD70H beams were used underneath, one at 5.5m long and the other at 4m. Again, two different lengths of sling were used to connect them to the top beam—3m at the stern (back) and 3.9m at the bow (front). The slings that met the lifting eyes at the bottom of the rig were all 4m in length.

Danny Skidmore, heavy cranes manager at Osprey, said: "We had to work closely with shipbuilders and naval architects, and refer to CAD (computer-aided design), to devise a method of lifting the catamaran safely and completely level. The previous time we lifted such a vessel, we used two cranes in tandem, but mobilising two cranes of that size represents a large-scale operation and high costs, not to mention the disruption it has on the shipyard. We wanted to come up with a way to minimise mobilisation and limit the impact on our client's busy, marine environment."





INSPECTION AND TESTING

Sunbelt Rentals are full members of LEEA (Lifting Equipment Engineers Association), giving you peace of mind that all your lifting needs are being met by a team of experienced personnel.

All of our lifting and safety equipment is CE compliant and we also offer a full maintenance and aftersales service for your own equipment, giving you the confidence that your owned equipment is also legally compliant.

Sunbelt Rentals are able to carry out Thorough Examination of fixed and loose lifting equipment on site or at your own premises. Once compliant we can advise you on certification maintenance such as Colour Coding and also give you the capability to review your Reports of Thorough Examination online.

PROVIDING RENTAL PRODUCTS AND MANAGED SOLUTIONS INTO EVERY MARKET AND SECTOR




PLANT & TOOLS

Over 200,000 items of equipment to choose from



INDUSTRIAL

On your site to meet the demands where every second counts



PLANT ATTACHMENTS

The sole UK distributor for several of the world's leading attachment manufacturers



UTILITIES

The UK's largest specialist Utility hire company



POWERED ACCESS

The combined height and reach of our equipment can transport you safely over 50,000 meters



SAFETY & COMMUNICATION

The industry's most knowledgeable and experienced specialists in this field



LIFTING

Our solutions have been used on 7/10 of the tallest buildings in the UK



SURVEY

The UK's industry-leading supplier of land survey and precision measurement technologies




POWER

5000 rental units - Enough equipment to power a small city



TEST & CALIBRATION

Europe's leading test equipment specialists since 1996



CLIMATE CONTROL

24/7 dedicated FM control centre



RAIL

5-star RISQS accreditation and Personal Track Safety (PTS) trained, 24/7 teams



ACCOMMODATION

24/7/365 call out facility covering 20,000 items on fleet



HOISTS

We hold over 10km of mast sections, enough to scale London's Shard building over 32 times



ENGINEERED ACCESS

Award-winning ground access and crowd control solutions, engineered to your exact requirements.



FORMWORK & FALSEWORK

We are the exclusive hire supplier of MEVA products in the UK



TRAFFIC MANAGEMENT

24/7 national coverage with operations covered by QEHSS accreditations



TRAINING

We have a dedicated Health and Safety training operation to qualify our own people and our customer's people

DEPOT CONTACTS AND LOCATIONS

EAST LONDON

Unit D3, Star Business Centre,
Marsh Way, Fairview Industrial Estate,
Rainham, Essex RM13 8UP
0845 872 5605

IPSWICH

Unit 5, Boss Hall Business Park
IP1 5BN
0845 872 5609

WEST LONDON

Unit 1, Abenglen Industrial Estate,
Betam Road, Hayes,
Middlesex UB3 1SS
0845 864 3413

BRIDGWATER

Unit 3, Wylds Road,
Bridgwater, Somerset TA6 4LF
01278 410 755

WEST MIDLANDS

Units A-C, 100 Dudley Road East,
Oldbury, West Midlands B69 3EB
0121 544 1333

EGREMONT

Unit 8, Bridge End, Egremont,
Whitehaven CA22 2RD
01946 823905

MANCHESTER

Jardine Way, Chadderton, Oldham,
Manchester OL9 9QL
0161 745 9237

LIVERPOOL

Unit 10, King Edward Industrial Estate,
Gibraltar Row, Liverpool L3 7HJ
0151 236 2260

SHEFFIELD

Unit 1, Brooklands Business Park
Leigh Street, Sheffield S9 2PR
0114 243 0230

HULL

310 Hawthorn Avenue, Hull HU3 5JF
01482 322120

GRIMSBY

Unit 1, Estate Road No.6,
South Humberside Industrial Estate
North East Lincolnshire DN31 2TG
01472 352 845

GATESHEAD

18D Follingsby Park,
Gateshead, Tyne and Wear NE10 8YF
0191 417 6488

WILTON

Castleton Court, Wilton International,
Redcar, Teesside TS10 4RG
01642 457325

GLASGOW

1 Earl Haig Road, Hillington Park
Glasgow G52 4JU
0141 810 2938

NEWARK

Brunel Drive, Newark NG24 2DE
01636 677 121



0370 050 0792
enquiries@sunbeltrentals.co.uk
www.sunbeltrentals.co.uk