Sunhouse



OUALITY

STYLE

VALUE

Sunhouse

Heating

QUALITY STYLE VALUE

Sunhouse Space Heating

Sunhouse is a long established brand of heating products that has always given you exceptional quality and reliability at competitive prices. Our new range combines innovation and style to deliver high specification electric heating solutions for all applications.

Panel Heaters

The instant, economical heating option. With a new slim sleek design to enhance your décor.

3

Storage Heaters

Combi, automatic and manual – our high performance slimline range is quick and easy to install.



Towel Rails and Warmers

A range of towel rails and towel warmers from 50W to 350W.



Tubular Heaters

The perfect electric heating solution for all situations requiring safe, low wattage background heating and frost protection.



Downflow Heater

A low cost, fast acting instant heat provider ideal for bathrooms, kitchens and en-suites.



Panel Heaters

Electronic Panel Heaters

The stylish new electronic panel heater range with 24 hour digital programmable timer.

- Convected heat for rapid warm-up
- Electronic thermostatic control providing room temperature stability
- 24 hour digital timer
- IPX4 rated suitable in wet areas
- Quiet operation
- Finished in willow white




Cat No.	Model No.	Wattage	Height	Width	Depth
775401	SPHN50E	500W	430mm	450mm	108mm
775402	SPHN100E	1000W	430mm	620mm	108mm
775403	SPHN150E	1500W	430mm	620mm	108mm
775404	SPHN200E	2000W	430mm	860mm	108mm



Mechanical Panel Heaters

The instant, economical heating option. Now in softly curved slimline design to enhance any décor.

- Available with or without integral timer
- Choice of 4 outputs across 3 sizes
- Modern 'Willow White' finish
- Features hinge down mounting bracket to allow tilting of unit for easy cleaning
- Compact and stylish



Panel heaters without timer

Cat No.	Model No.	Wattage	Height	Width	Depth
773101	SPHN50	500W	430mm	442mm	95mm
773102	SPHN100	1000W	430mm	680mm	95mm
773103	SPHN150	1500W	430mm	680mm	95mm
773104	SPHN200	2000W	430mm	852mm	95mm

Panel heaters with timer

Cat No.	Model No.	Wattage	Height	Width	Depth
773201	SPHN50T	500W	430mm	442mm	95mm
773202	SPHN100T	1000W	430mm	680mm	95mm
773203	SPHN150T	1500W	430mm	680mm	95mm
773204	SPHN200T	2000W	430mm	852mm	95mm

Storage Heaters

Combi, automatic and manual – our high performance slimline range is quick and easy to install.

- High performance
- Attractive, ultra slim design
- Modern 'Willow White' finish
- Low profile feet fit discreetly under carpet
- Concealed, easy to use controls
- Complement Sunhouse panel heaters
- Quick and easy to install

Manual

Our manual model offers high performance and an ultra slim design with manually operated energy input/heat output controls.



Cat No.	Model No.	Wattage	Height	Width	Depth	Weight
79343\$	SSH12M	1.7kW	700mm	560mm	170mm	77kg
79353S	SSH18M	2.5kW	700mm	788mm	170mm	110kg
79363S	SSH24M	3.4kW	700mm	1016mm	170mm	145kg

Automatic

Our automatic's highly efficient 'auto sensor' automatically senses changes in temperature and adjusts accordingly. This intelligent product can cut energy consumption costs by up to 15%.



Cat No.	Model No.	Wattage	Height	Width	Depth	Weight
773502	SSH6AW	0.9W	705mm	335mm	170mm	47kg
79342S	SSH12W	1.7kW	700mm	560mm	170mm	77kg
79352S	SSH18W	2.5kW	700mm	788mm	170mm	110kg
79362S	SSH24W	3.4kW	700mm	1016mm	170mm	145kg

Storage Heater Guard

Cat No.		Cat No.	
SGH12	To fit SSH12A/M	SGHC12	To fit SSH12CW
SGH18	To fit SSH18A/M	SGHC18	To fit SSH18CW
SGH24	To fit SSH24A/M	SGHC24	To fit SSH24CW



Combi

Our Combi's built-in 'fan heater' with room thermostat gives maximum flexibility but takes up minimum wall space. Other excellent features include 'charge controller' and 'boost control'.



Cat No.	Model No.	,	Convector Wattage		Width	Depth	Weight
770501	SSH12CW	1.7kW	1.0kW	700mm	560mm	170mm	78kg
770601	SSH18CW	2.5kW	1.5kW	700mm	788mm	205mm	114kg
770701	SSH24CW	3.4kW	2.0kW	700mm	1016mm	205mm	149kg

Product Specifications

Safety

Supply

Approvals

r roddot op	ecincations	3	
Models No.	SSH12A/M/CW	SSH18A/M/CW	SSH24A/M/CW
Catalogue No.	79342/3/ 770501	79352/3/ 770601	79362/3/ 770701
Storage rating	1.7kW	2.5kW	3.4kW
Charge (7 hours)	11.8kWh	17.6kWh	23.5kWh
Acceptance (8 hours)	2.6kWh	18.5kWh	25.0kWh
Weight	83kg	122kg	161kg
No. of elements	2	3	4
No. of core bricks	8	12	16
Controls			
- Output All Model	s Manually a	djustable thermost out damper	at controlling
- Input Automatic 8	cc	draulic head temper ompensated, room orage core tempera re, automatic charg	and uture
- Input Manual		ydraulic charge cor thermostat, manua able for weather co	lly

Bi-metallic thermal cut-out and safety link overheat protection

230/240 AC single phase

ВЕАВ, СЕ

Towel Rails

Dry Element Towel Rail

The innovative Sunhouse dry element ladder towel rail features a unique dry element technology, designed for rapid warm-up and even heat distribution

- Energy efficient
- Lightweight casing
- Easy to install
- Rapid warm up and towel drying
- Even heat distribution no cold spots
- Less energy required when compared to a 200 and 400 equivalent wet filled products



Cat No.	Model No	Finish	Wattage	Height	Width	Depth	Weight	No. of bars
775501	STWW175	White	175W	610mm	453mm	80-100mm	4.4kg	12
775502	STWW350	White	350W	843mm	602mm	95-115mm	7.9kg	18
775511	STWC175	Chrome	175W	610mm	453mm	80-100mm	4.4kg	12
775512	STWC350	Chrome	350W	843mm	602mm	95-115mm	7.9kg	18

Electric Fluid Filled Towel Rail

- Supplied fluid filled with factory fitted element and cable
- IP55 rated may be fitted in bathroom subject to correct mounting and cable connection
- CE marked
- Chrome or white finish




Cat No.	Model No	Finish	Wattage	Height	Width	Depth
774101	STR4080SW	White	150W	800mm	400mm	110mm
774111	STR4080SC	Chrome	150W	800mm	400mm	110mm

Towel Warmers

Add a touch of warmth and luxury with our simple curved electric towel warmers.

- Suitable for bathroom, shower room or kitchen
- Fully IPX4 rated
- Very low running costs
- Supplied complete with wall mounting brackets and mains cable for easy installation
- Available in white or chrome finish

Cat No.	Model No.	Colour	Wattage	Height	Width	Depth
805704	STR50W	White	50W	410mm	460mm	85mm
79352S	STR50C	Chrome	50W	410mm	460mm	85mm



Downflow Heater

A low cost, fast acting instant heat provider ideal for bathrooms, kitchens and en-suites.

- Powerful 2kW fan heater
- Pull cord on/off switch with pilot light indicator
- Pre-set step down thermostat (to 1kW) for energy efficiency and optimum room comfort
- Stylish, compact design
- Automatic overheat safety cut-out
- Thermal link overheat protection
- White finish

Cat No.	Model No.	Wattage	Height	Width	Depth
771005	SDF2000	2.0kW	200mm	260mm	125mm



Tubular Heaters

The perfect electric heating solution for all situations requiring safe, low wattage background heating and frost protection.

- Ideal for controlling frost and condensation in applications such as shop windows and conservatories
- 60 300W outputs @ 240V
- Pre-fitted 0.9 metre white supply cable
- Built-in, self resetting, over temperature cut-out (limits surface temperature during abnormal conditions)
- Universal mounting brackets for floor/wall fixing

- Optional interlinking kit available for multiple installation
- Can be stacked using purpose designed interlinking kit for greater degree of heating
- Products packed in cartons for ease of transport/ warehousing
- One year parts and labour guarantee



Cat No.	Model No.	Wattage	Height	Diameter	Depth	
731141	SHTH1	60W	410mm	52mm	75mm	
731142	SHTH2	120W	670mm	52mm	75mm	
731143	SHTH3	180W	980mm	52mm	75mm	
731144	SHTH4	240W	1280mm	52mm	75mm	
731145	SHTH5	300W	1590mm	52mm	75mm	
731146	SHTH6	300W	1890mm	52mm	75mm	
731506	SHTHLK	Interlinki	Interlinking kit for multiple installations			

