











Product Applications	Target Customers	Range USP
<p>Ideal for removing fumes from:</p> <ul style="list-style-type: none"> <li>• Welding bays</li> <li>• Warehouses</li> <li>• Tunnels</li> <li>• Basements</li> <li>• Chemical laboratories</li> <li>• Suitable for most Commercial and Industrial applications</li> <li>• Anywhere where fumes are a problem</li> </ul>	<ul style="list-style-type: none"> <li>• Powder Coaters</li> <li>• Construction Firms</li> <li>• Procurement Managers</li> <li>• Facility Management</li> <li>• Chemical Companies</li> <li>• Wholesalers &amp; Resellers</li> </ul>	<p>The VF range of industrial extractor fans boasts 1.5mm steel bodies, aluminium housed motors for excellent heat dissipation and sickle bladed fans to maximise airflow and pressure and allow them to duct 20M. With various outputs up to 14,400m<sup>3</sup>/hr and available in 110V and 230V there's an option to suit just about any requirement. Hard wearing plastic coated ducting is also available in 10M lengths and comes with a built in rope tie for securing to the unit.</p>

Product Image	Product Specs	Optional Extras
<p><b>VF250</b></p> 	<ul style="list-style-type: none"> <li>• Diameter 250mm</li> <li>• Supply 110v/16A or 240v/13A</li> <li>• Running Current 110v 3.4 amps / 230v 0.8 amps</li> <li>• Airflow 2580m<sup>3</sup>/hr</li> <li>• Static Pressure 294pa</li> <li>• Weight 12kG</li> <li>• Dimensions 35cm x 27cm x 29cm</li> </ul>	<p>Ducting</p>  <p>250mm 10 metre</p>
<p><b>VF300</b></p> 	<ul style="list-style-type: none"> <li>• Diameter 300mm</li> <li>• Supply 110v/16A or 240v/13A</li> <li>• Running Current 110v 4 amps / 230v 1.2 amps</li> <li>• Airflow 3600m<sup>3</sup>/hr</li> <li>• Static Pressure 343pa</li> <li>• Weight 14kG</li> <li>• Dimensions 44cm x 37cm x 40cm</li> </ul>	<p>Ducting</p>  <p>300mm 10 metre</p>
<p><b>VF400</b></p> 	<ul style="list-style-type: none"> <li>• Diameter 400mm</li> <li>• Supply 110v/32A or 240v/13A</li> <li>• Running Current 110v 9.2 amps / 230v 4.3 amps</li> <li>• Airflow 6,300m<sup>3</sup>/hr</li> <li>• Static Pressure 700pa</li> <li>• Weight 26.5kG</li> <li>• Dimensions 54cm x 49cm x 47cm</li> </ul>	<p>Ducting</p>  <p>400mm 10 metre</p>
<p><b>VF600 / MB2000</b></p> 	<ul style="list-style-type: none"> <li>• Diameter 600mm</li> <li>• Supply 110v/32A or 240v/13A</li> <li>• Running Current 110v 13.4 amps / 230v 5.8 amps</li> <li>• Airflow 14400m<sup>3</sup>/hr</li> <li>• Static Pressure 480pa</li> <li>• Weight 61kG</li> <li>• Dimensions 87cm x 77cm x 55cm</li> </ul>	<p>Ducting</p>  <p>600mm 10 metre</p>



Ideal for extraction & fresh air supply



Air Intake/Exhaust



Duct up to 20 metres with each extractor

<p><b>Customer Order Line</b> 01527 830610</p> <p><b>Technical Advice</b> 01527 830616</p> <p>E: sales@broughtoneap.co.uk</p> <p>F: 01527 527558</p>	<p><b>Accounts</b></p> <p>Rookery Works, Newchapel Rd</p> <p>Kidsgrove, Stoke on Trent</p> <p>Staffordshire, ST7 4SF 01782 777559</p>	<p><b>Sales &amp; Manufacturing</b></p> <p>Units 24-25, Crossgate Road</p> <p>Park Farm Industrial Estate</p> <p>Redditch, B98 7SN 01527 830610</p>
--	---	---